




CURTAINS
Technical Specifications

**Technical Specifications** 




#### PENCIL PLEAT CURTAINS


Fullness	200%
Top Hem	78mm
Left - Right Hem	40mm
Bottom Hem	80mm











Side & Bottom Hem




Section View





Panel Joining (Over Locked)





#### Note:


The Top Hem has a 50mm inner folding with a gap from the top of the hem to the start of the tape,




**Technical Specifications** 

#### DOUBLE PINCH PLEAT CURTAINS


Fullness	200%
Top Hem	100mm
Left - Right Hem	40mm
Bottom Hem	80mm



**Double Pinch Pleat Curtains** 



Top Hem



Side & Bottom Hem



Section View



Front Side Hidden Stitch



Panel Joining (Over Locked)





#### Note:


Hook Spacing varies depending on the width of the curtains




**Technical Specifications** 

## 3 TRIPLE PINCH PLEAT CURTAINS


Fullness	260%
Top Hem	100mm
Left - Right Hem	40mm
Bottom Hem	80mm




Tripple Pinch Pleat Curtains



Top Hem



Side & Bottom Hem



Section View



Front Side Hidden Stitch



Panel Joining (Over Locked)





#### Note:


Hook spacing varies depending on the width of the curtains





Technical Specifications




Fullness	200%
Top Hem	100mm
Left - Right Hem	40mm
Bottom Hem	80mm















Note:

The distance between the eyelets varies depending on the width of the curtains




**Technical Specifications** 


# 5 PINCH WITH EYELET CURTAINS

Fullness	260%
Top Hem	100mm
Left - Right Hem	40mm
Bottom Hem	80mm















Note:

The distance between the eyelets varies depending on the width of the curtains




**Technical Specifications** 

# 6 EASY WAVE CURTAINS

Fullness	200%
Top Hem	80mm
Left - Right Hem	40mm
Bottom Hem	80mm



**Easy Wave Curtains** 









Endhook

Components

Runner









#### Note:

The Top Belt has a 50mm inner folding with a gap from the top of the hem to the start of the tape,



**Technical Specifications** 



#### **CURTAIN TRACK DEDUCTIONS**

DS TRACK	25mm
KS TRACK	25mm
CKS TRACK	25mm
CS TRACK	30mm
CCS TRACK	30mm
GLYDEA TRACK	35mm



**DS TRACK** 



**KS TRACK** 



**CKS TRACK** 



CS TRACK



**CCS TRACK** 



**GLYDEA TRACK** 

**Note:** Where required, you can use this track deduction height as a guide for critical situations i.e floor to ceiling.

Track height - floor to ceiling height= hem to hem



# **CURTAINS**Technical Specifications

#### 8 CURTAIN DROP DEDUCTIONS

CURTAIN	DS	KS	CS	GLYDEA
Track Size (hang below track)	25mm	30mm	40mm	45mm
Hem To Hem	No deduction	No deduction	No deduction	No deduction
Recess Deduction (will not deduct track)	10mm	10mm	10mm	10mm

EASY WAVE	DS	KS	CS	GLYDEA
Track Size deduction (inc. bracket)	17mm	20mm	25mm	30mm
Hem To Hem	No deduction	No deduction	No deduction	No deduction
Recess Deduction (including track)	27mm	30mm	35mm	40mm






**Tel:** +9716 5578051 Email: sales@blindtex.com Web: www.blindtex.com

# CURTAINS Technical Specifications

# 9 EYELET COLOUR OPTIONS

1 Outer Diameter of an Eyelet	60mm
2 Inner Diameter of an Eyelet	40mm
3 Top of Fabric to Inner Eyelet	30mm






#### Note:

The distance between the eyelets varies depending on the width of the curtains

#### Disclaimer:

All dimensions are approximate and can be changed without notice at our discretion.





Blindtex **UAE** 

Area M6-10

SAIF Zone Sharjah – United Arab Emirates

**Tel:** +971 65578051

Email: sales@blindtex.com

Blindtex **UK**4A Wigan Road

Bolton Lancashire BL3 5PZ

**Phone:** 01204 655000

www.blindtex.com



A BRAND OF **INNOV8** PRODUCTS