



## SMALL WIREFREE MOTOR


Technical Specification

# SMALL WIREFREE MOTOR

## DM25LEU/S

Electronic Limit, Radio+  
1.1Nm 28Rpm

Application:



Duplex blinds



Roller blinds



Roman blinds



## Technical Specification

Options	Small Wirefree Motor
Power	Wirefree - Rechargeable DC 5 V
Feature	Minimal sound
Bracket	Metal
Lifting capacity	5 kgs (9.6 sqm)
Minimum Blind Size	550 mm
Speed (RPM)	28 RPM
Torque (Nm)	1.1
Radio Frequency (MHz)	433 <sup>≠</sup>
Technology	RTS
Rated Current (A)	0.94
Rated Power (w)	10
Max Room Temp	40°C
Degree Of Protection(IP)	IP20
Maximum Limit Turn(turn)	∞
Length L1/L2	475/463
Power Required	Yes - 3 plug for charger
Running Time	>6
Cable length	1 mtr
Tube Diameter	38mm (Round Tube)
Suitability for wet Area	No
Motor Weight	450gm

## Features

- Switch Direction
- Stall Protection
- Built-in Receiver
- Program Button
- Built-in Lithium Battery
- Jog Mode
- Scene Control
- Smartphone Control
- Scan & Program
- Status feedback



Micro-USB



Memorised Setting




Preferred Stop Position


## Control System



1 & 15 Channel



Drive Shaft



Limited Head



Blindtex **UAE**

Area M6-10

SAIF Zone Sharjah – United Arab Emirates

**Tel:** +971 65578051

**Email:** sales@blindtex.com

[www.blindtex.com](http://www.blindtex.com)