



## WIRED CURTAIN MOTOR

Technical Specification

# WIRED CURTAIN MOTOR

## DT72EN/S

Electronic Limit,  
1.2Nm 20Rpm



### Technical Specification

Options	Wired Motor
Power	Wired - 230V
Feature	Minimal sound
Bracket	Metal
Lifting capacity	50 kgs
Track Length(m)	≤12
Speed (RPM)	20 RPM
Torque (Nm)	1.2
Emission Frequency (MHz)	433.92
Technology	RTS
Rated Current (A)	1.10
Rated Power (w)	75
Max Room Temp	40°C
Degree Of Protection(IP)	40
Maximum Limit Turn(turn)	∞
Power Required	3 pin plug
Running Time	20
Cable length	1 mtr
Motor Weight	1.37kg

### Features


- Electronic Limit
- Switch Direction
- Auto Limit Setting
- Run/Stop by Pulling Fabric
- Preferred Stop Position
- AC 100-240V
- Stall Protection
- Built-in Receiver
- Manual Override
- Switch Control
- Program Button
- RS485 Interface

### Control System



1 & 15 Channel

### Inner Structure Picture





Blindtex **UAE**

Area M6-10

SAIF Zone Sharjah – United Arab Emirates

**Tel:** +971 65578051

**Email:** sales@blindtex.com

[www.blindtex.com](http://www.blindtex.com)